

1

سوال نمبر: 1709

منجانب احمد کنڈی، رکن صوبائی اسمبلی

کیا وزیر ماحولیات ازراہ کرم ارشاد فرمائیں گے کہ

سوال	جواب
(الف) آیا یہ درست ہے کہ محکمہ ماحولیات نے حالیہ پانچ برسوں کے دوران ڈیرہ اسماعیل خان کی شوگر ملز کے فضلہ (effluent) اور صنعتی نکاس کا کئی بار ماحولیاتی معائنہ کیا ہے؟	جی ہاں محکمہ ماحولیات نے حالیہ پانچ برسوں کے دوران ڈیرہ اسماعیل خان کی شوگر ملز کے فضلہ (effluent) اور صنعتی نکاس کا کئی بار ماحولیاتی معائنہ کیا ہے۔
(ب) اگر (الف) کا جواب اثبات میں ہو تو ضلع ڈیرہ اسماعیل خان کی تمام شوگر ملز کا گزشتہ 05 سالوں کا ماپ کئے گئے آبی اور زمینی نمونوں (soil samples & water) کی رپورٹ، مخصوص آلودگی نشانیاں وغیرہ (BOD, COD, heavy metals) اور کن مقامات سے نمونے لیے گئے ان کی مکمل تفصیل شوگر مل وائز مہیا کی جائے۔	محکمہ ہڈانے گزشتہ پانچ سالوں میں ڈیرہ اسماعیل خان کے شوگر ملز کے آبی معائنے کیے ہیں۔ جن میں pH, TDS TSS Temperature, COD, Sulphide اور SO ₄ کے آبی معائنے شامل ہیں جن کی تفصیل لف ہے۔ جبکہ، soil sample اور BOD اور Heavy Metals کے معائنے آلات کی عدم دستیابی کی وجہ سے نہیں کیے گئے ہیں۔


 Deputy Director (Admin & Finance)
 Environmental Protection Agency
 Govt. of Khyber Pakhunkhwa

7

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

2

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: C-2 containing effluent sample of M/s Chashma Unit 2 Ramak D.I Khan handed over by Sadiq ullah (M.I DI Khan) to EPA laboratory team in the field on 05.01.2021 at 05:07 PM.
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Mr. Nizam Ud Din (Chemist Instrumental) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chemist Instrumental)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits
Sulfide(mg/l)	04	01	Violation

Mr. Nizam Ud Din (Chemist Instrumental) Nizam Ud Din

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	70	Ok
2.	TDS (mg/l)	3500	970	OK
3.	COD (mg/l)	150	846	Violation

1) M. Ghosh 2) Nizam Ud Din

- (7) Pursuant to the above results, I am of the opinion that two parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 12/01/2021

M Ghosh
(Chief Analyst)


CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

3

I hereby certify that:



- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: C-1 containing effluent sample of M/s Chashma Unit 1 Gomal University Road DI Khan handed over by Essa Khan (M.I DI Khan) to EPA laboratory team in the field on 05.01.2021 at 05:07 PM.
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Mr. Nizam Ud Din (Chemist Instrumental) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chemist Instrumental)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits
Sulfide(mg/l)	04	01	Violation

Mr. Nizam Ud Din (Chemist Instrumental) 

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	186	Ok
2.	TDS (mg/l)	3500	650	OK
3.	COD (mg/l)	150	705	Violation

- 1)  2) 
- (7) Pursuant to the above results, I am of the opinion that two parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 12/01/2021


(Chief Analyst)

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

4

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: T1- Discharge from Lagoon containing effluent sample of M/s Tandlianwala DG Khan-DI Khan Road Zamand Miren Gomal University Road D.I Khan handed over by Sadiq ullah (M.I DI Khan) to EPA laboratory team in the field on 06.01.2021 at 10.26 AM.
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Mr. Nizam Ud Din (Chemist Instrumental) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chemist Instrumental)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	5.8	6 to 9	Violation
Sulfide(mg/l)	10	01	Violation

Mr. Nizam Ud Din (Chemist Instrumental) Nizam

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	98	OK
2.	TDS (mg/l)	3500	3300	OK
3.	COD (mg/l)	150	1523	Violation

- 1) g-1/r 2) Nizam
- (7) Pursuant to the above results, I am of the opinion that three parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 12/01/2021

M. G. Shereef
(Chief Analyst)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462


CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

5

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: T-2 Discharge Near Boundary Wall containing effluent sample of M/s Tandlianwala DG khan-DI Khan Road Zamand Miren Gomal University Road D.I Khan received in on 06.01.2021 at 10:26 AM handed over by Sadiq ullah (M.I DI Khan) to EPA laboratory team in the field.
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Mr. Nizam Ud Din (Chemist Instrumental) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chemist Instrumental)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	5.4	6 to 9	Violation
Sulfide(mg/l)	08	01	Violation

Mr. Nizam Ud Din (Chemist Instrumental) 

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.


S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	90	OK
2.	TDS (mg/l)	3500	2300	OK
3.	COD (mg/l)	150	1100	Violation

1)  2) 

- (7) Pursuant to the above results, I am of the opinion that three parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 12/01/2021


(Chief Analyst)

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

6

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: C-II EP containing effluent sample of M/a Chashma Unit II Ramak D.I Khan DI Khan received in this on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Muhammad Ziyad (Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Muhammad Ziyad (Analyst) 17/12/22

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	182	Ok
2.	TDS (mg/l)	3500	1960	OK
3.	COD (mg/l)	150	1540	Violation
4.	Sulfide(mg/l)	04	3.2	Violation

- 1) 17/12/22 2) Izhar
- (7) Pursuant to the above results, I am of the opinion that two parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2022

M. G. Shad
(Chief Analyst)
Addl. charge

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462

STATEMENT OF TEST OR ANALYSIS
(Under Rule 10 (3))

7

I hereby certify that

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: TSM-1 containing effluent sample of M/s Tandlian Wala Sugar Mill Ramak DI Khan was received in this Laboratory on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Ramzan Ali (Jr. Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Ramzan Ali (Jr. Analyst) _____

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1	TSS (mg/l)	200	1022	Violation
2	TDS (mg/l)	3500	1280	OK
3	COD (mg/l)	150	2451	Violation
4	Sulfide(mg/l)	04	13.1	Violation

1) 7.7.17 2) Izhar

- (7) Pursuant to the above results, I am of the opinion that three parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place EPA-Khyber Pakhtunkhwa

Date: 05/01/2023

M. Ziyad

(Chief Analyst Southern Directorate)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Ehazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462

8

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: A-1 containing effluent sample of M/s Almoiz Sugar Mill Chashma Road DI Khan was received in this laboratory on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Ramzan Ali (Jr. Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Ramzan Ali (Jr. Analyst)

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	271	Violation
2.	TDS (mg/l)	3500	569	OK
3.	COD (mg/l)	150	670	Violation
4.	Sulfide(mg/l)	04	10.35	Violation

1) 7717 2) Izhar

- (7) Pursuant to the above results, I am of the opinion that three parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2023

M. Ziyad
(Chief Analyst Southern Directorate)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462


CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

9

I hereby certify that:



- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No. CSM-1 ETP containing effluent sample of M/s Chashma Unit 1 Gomal University Road DI Khan received in to this Laboratory on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Muhammad Ziyad (Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Muhammad Ziyad (Analyst) 

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.


S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	182	Ok
2.	TDS (mg/l)	3500	576	OK
3.	COD (mg/l)	150	218	Violation
4.	Sulfide(mg/l)	04	10.56	Violation

- 1)  2) 

- (7) Pursuant to the above results, I am of the opinion that two parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2023


(Chief Analyst Southern Directorate)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462

10

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: CSM-1 DE containing effluent sample of M/s Chashma Unit 1 Gomal University Road DI Khan received in to this Laboratory on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Muhammad Ziyad (Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Muhammad Ziyad (Analyst) محمد زیاد

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	342	Violation
2.	TDS (mg/l)	3500	388	OK
3.	COD (mg/l)	150	1150	Violation
4.	Sulfide(mg/l)	04	33.6	Violation

- 1) محمد زیاد ----- 2) محمد زیاد -----
- (7) Pursuant to the above results, I am of the opinion that three parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2023

M. Ziyad
(Chief Analyst Southern Directorate)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462

11

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: CSM-II EP containing effluent sample of M/s Chashma Unit II Ramak D.I Khan DI Khan received in this on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Muhammad Ziyad (Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Muhammad Ziyad (Analyst) M. Ziyad

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	182	Ok
2.	TDS (mg/l)	3500	1960	OK
3.	COD (mg/l)	150	1540	Violation
4.	Sulfide(mg/l)	04	3.2	Violation

1) M. Ziyad 2) Izhar

- (7) Pursuant to the above results, I am of the opinion that two parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2023

M. Irshad

(Chief Analyst Southern Directorate)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

12

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: C-1 DE containing effluent sample of M/s Chashma Unit 1 Gomal University Road DI Khan received in to this Laboratory on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Muhammad Ziyad (Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Muhammad Ziyad (Analyst) M. Ziyad

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	342	Violation
2.	TDS (mg/l)	3500	388	OK
3.	COD (mg/l)	150	1150	Violation
4.	Sulfide(mg/l)	04	33.6	Violation

1) M. Ziyad 2) Izhar Ullah

- (7) Pursuant to the above results, I am of the opinion that three parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2023

M. Ziyad
(Chief Analyst Southern Directorate)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462

13

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No. TSM-1 containing effluent sample of M/s Tandlian Wala Sugar Mill Ramak Di Khan was received in this Laboratory on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Muhammad Ziyad (Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Muhammad Ziyad (Analyst)

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	1022	Violation
2.	TDS (mg/l)	3500	1280	OK
3.	COD (mg/l)	150	2451	Violation
4.	Sulfide(mg/l)	04	13.1	Violation

- 1) 7.1.1 2) 13.1
- (7) Pursuant to the above results, I am of the opinion that three parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2023

(Chief Analyst Southern Directorate)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel: 091 9239462

14

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: C-1 ETP containing effluent sample of M/s Chashma Unit 1 Gomal University Road DI Khan received in to this Laboratory on 16.12.2022 at 9:00 PM delivered by Muhammad Ziyad (Analyst).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Izhar Ullah (Lab Assistant) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Muhammad Ziyad (Analyst)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Muhammad Ziyad (Analyst) M. Ziyad

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	182	Ok
2.	TDS (mg/l)	3500	576	OK
3.	COD (mg/l)	150	218	Violation
4.	Sulfide(mg/l)	04	10.56	Violation

- (7) Pursuant to the above results, I am of the opinion that two parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).
1) M. Ziyad 2) Izhar

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2023

M. Gishard
(Chief Analyst Southern Directorate)

Environmental Protection Agency Laboratory, Khyber Pakhtunkhwa
Khazana Road near Charpareza Chowk, Fishery Centre, Sherabad Peshawar
Tel # 091 9239462

15

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:



- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: TP-CSM-II containing effluent sample of M/s Chashma Unit II Ramak DI Khan received in to this Laboratory on 10.03.2023 at 11:00 AM delivered by Ramzan Ali (M.I DI Khan).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Muhammad Ziyad (Analyst Head quarter) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Ramzan Ali (M.I DI Khan)

Parameter	Results	NEQS Limits	Remarks
Temperature	18°	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

Ramzan Ali (M.I DI Khan) 

- (6) The following tests have been carried out in EPA laboratory which is supervised by me.


S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	366	Violation
2.	TDS (mg/l)	3500	4486	Violation
3.	COD (mg/l)	150	306	Violation
4.	Sulfide(mg/l)	01	4.4	Violation

1)  2) 

- (7) Pursuant to the above results, I am of the opinion that Four (04) parameters of the sample do not conform to the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 14/03/2023


(Chief Analyst Southern Directorate)

2

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

16

I hereby certify that:

- (1) This laboratory is an environmental laboratory of environmental protection agency govt. of KPK.
- (2) A sample bottles bearing No: TP-CSM-I containing effluent sample of M/s Chashma Unit I University Road DI Khan received in this on 10.03.2023 at 11:00 AM delivered by Ramzan Ali (M.I DI Khan).
- (3) The seal on the sample parcel was intact.
- (4) The Samples were received and opened by Muhammad Ziyad (Analyst Head quarter) and the sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Ramzan Ali (M.I DI Khan)



Parameter	Results	NEQS Limits	Remarks
Temperature	24°	40°	Within NEQS Limits
pH	7.9	6 to 9	Within NEQS Limits

Ramzan Ali (M.I DI Khan)



- (6) The following tests have been carried out in EPA laboratory which is supervised by me.


S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	226	Violation
2.	TDS (mg/l)	3500	4310	Violation
3.	COD (mg/l)	150	421	Violation
4.	Sulfide(mg/l)	01	6	Violation

1)  2) 

- (7) Pursuant to the above results, I am of the opinion that four (04) parameters of the sample do not conform to the National Environmental Quality Standards.(NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 14/03/2023




(Chief Analyst Southern Directorate)

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:



- (43) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (44) A sample bottles bearing No: CD-1 containing effluent sample of M/s Chashma Sugar Mill Unit-I DI Khan was received in this Laboratory on 02/01/2024 at 10:00 AM delivered by Mr Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)
- (45) The seal on the sample parcel was intact.
- (46) The sample was found fit for test and analysis.
- (47) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)

Parameter	Results	NEQS Limits	Remarks
Temperature	16°	40°	Within NEQS Limits
pH	7.7	6 to 9	Within NEQS Limits

Mr. Nizam Ud Din (Chief Analyst Southern Directorate) 

- (48) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
24.	TSS (mg/l)	200	360	Violation
25	TDS (mg/l)	3500	4870	Violation
26	COD (mg/l)	150	410	Violation

1)  2) 

- (49) Pursuant to the above results, I am of the opinion that three (03) of the parameters of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2024



Chief Analyst
Southern Directorate

18

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))



- I hereby certify that
- (43) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (44) A sample bottles bearing No: CD-1 containing effluent sample of M/s Chashma Sugar Mill Unit-I DI Khan was received in this Laboratory on 02 01 2024 at 10 00 AM delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)
- (45) The seal on the sample parcel was intact.
- (46) The sample was found fit for test and analysis.
- (47) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)

Parameter	Results	NEQS Limits	Remarks
Temperature	16°	40°	Within NEQS Limits
pH	7.7	6 to 9	Within NEQS Limits

Mr. Nizam Ud Din (Chief Analyst Southern Directorate) 

(48) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
24.	TSS (mg/l)	200	360	Violation
25	TDS (mg/l)	3500	4870	Violation
26	COD (mg/l)	150	410	Violation

1)  2) 

(49) Pursuant to the above results, I am of the opinion that three (03) of the parameters of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2024


Chief Analyst
Southern Directorate

(19) 250

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:

- (29) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (30) A sample bottles bearing No C2D containing effluent sample of M/s Chashma Sugar Mill Unit-II Ramak Di Khan was received in this Laboratory on 27.12.2024 at 10:00 AM delivered by Mr Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)
- (31) The seal on the sample parcel was intact.
- (32) The sample was found fit for test and analysis.
- (33) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)

Parameter	Results	NEQS Limits	Remarks
Temperature	13°	40°	Within NEQS Limits
pH	7.6	6 to 9	Within NEQS Limits

Mr Nizam Ud Din (Chief Analyst Southern Directorate) Nuz

- (34) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
17	TSS (mg/l)	200	190	Within NEQS Limits
18	TDS (mg/l)	3500	5960	Violation
19	COD (mg/l)	150	170	Violation

- 1) 7/1/24 Nuz
- (35) Pursuant to the above results, I am of the opinion that Two (02) of the parameters of the sample violate the National Environmental Quality Standards (NEQS)

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2024

Nuz
Chief Analyst
Southern Directorate

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

20

I hereby certify that:

- (29) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (30) A sample bottles bearing No C2D containing effluent sample of M/s Chashma Sugar Mill Unit-II Ramak Di Khan was received in this Laboratory on 27.12.2024 at 10:00 AM delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)
- (31) The seal on the sample parcel was intact.
- (32) The sample was found fit for test and analysis.
- (33) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)

Parameter	Results	NEQS Limits	Remarks
Temperature	13°	40°	Within NEQS Limits
pH	7.6	6 to 9	Within NEQS Limits

Mr. Nizam Ud Din (Chief Analyst Southern Directorate) Nizam

- (34) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
17	TSS (mg/l)	200	190	Within NEQS Limits
18	TDS (mg/l)	3500	5960	Violation
19	COD (mg/l)	150	170	Violation

- 1) 7.1/24 2) 7.1/24
- (35) Pursuant to the above results, I am of the opinion that Two (02) of the parameters of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa
Date: 05/01/2024

Nizam
Chief Analyst
Southern Directorate

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

21

I hereby certify that


- (15) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (16) A sample bottles bearing No: T-01 containing effluent sample of M/s Tandlianwala Ramak Sugar Mill D.I Khan was received in this Laboratory on 15.12.2023 at 10:00 AM delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)
- (17) The seal on the sample parcel was intact.
- (18) The sample was found fit for test and analysis.
- (19) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)

Parameter	Results	NEQS Limits	Remarks
Temperature	16°	40°	Within NEQS Limits
pH	7.3	6 to 9	Within NEQS Limits

Mr. Nizam Ud Din (Chief Analyst Southern Directorate) 

- (20) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
9	TSS (mg/l)	200	627	Violation
10.	TDS (mg/l)	3500	5641	Violation
11.	COD (mg/l)	150	487	Violation
12.	Sulfide (mg/l)	01	6.3	Violation

- 1)  2) 

- (21) Pursuant to the above results, I am of the opinion that Four (04) of the parameters of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2024



Chief Analyst
Southern Directorate

22

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))



- I hereby certify that
- (43) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (44) A sample bottles bearing No: CD-1 containing effluent sample of M/s Chashma Sugar Mill Unit-I DI Khan was received in this Laboratory on 02 01 2024 at 10 00 AM delivered by Mr Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)
- (45) The seal on the sample parcel was intact.
- (46) The sample was found fit for test and analysis.
- (47) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)

Parameter	Results	NEQS Limits	Remarks
Temperature	16°	40°	Within NEQS Limits
pH	7.7	6 to 9	Within NEQS Limits

Mr. Nizam Ud Din (Chief Analyst Southern Directorate) 

(48) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
24.	TSS (mg/l)	200	360	Violation
25	TDS (mg/l)	3500	4870	Violation
26	COD (mg/l)	150	410	Violation

- 1)  2) 
- (49) Pursuant to the above results, I am of the opinion that three (03) of the parameters of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2024


Chief Analyst
Southern Directorate

23


28

CERTIFICATE OF TEST OR ANALYSIS (Under Rule 10 (3))

I hereby certify that:


- (36) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (37) A sample bottles bearing No: C2W containing effluent sample of M/s Chashma Sugar Mill Unit-II Ramak DI Khan was received in this Laboratory on 02.01.2024 at 10:00 AM delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)
- (38) The seal on the sample parcel was intact.
- (39) The sample was found fit for test and analysis.
- (40) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate D.I Khan)

Parameter	Results	NEQS Limits	Remarks
Temperature	16°	40°	Within NEQS Limits
pH	7.4	6 to 9	Within NEQS Limits

Mr. Nizam Ud Din (Chief Analyst Southern Directorate) 

- (41) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
20.	TSS (mg/l)	200	185	Within NEQS Limits
21.	TDS (mg/l)	3500	3400	Within NEQS Limits
22.	COD (mg/l)	150	123	Within NEQS Limits
23	Sulfide (mg/l)	01	3	Violation (marginal)

1) 

2) 

- (42) Pursuant to the above results, I am of the opinion that one (01) of the parameters of the sample marginally violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 05/01/2024



(24)

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:

- (1) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (2) A sample bottles bearing No: C-1 containing effluent sample of Chashr Sugar Mill Unit-1 University Road DI Khan was received in the Laboratory on 21.02.2025 at 09:30 pm delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)
- (3) The sample was received by Izhar Ullah (Junior Analyst EPA Laboratory Peshawar). The seal on the sample parcel was intact.
- (4) The sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)

Parameter	Results	NEQS Limits	Remarks
Temperature	16	40°	Within NEQS Limits
pH	7.3	6 to 9	Within NEQS Limits

- (1) Mr. Nizam Ud Din (Chief Analyst) Nangar
- (2) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	55	Within NEQS Limits
2.	TDS (mg/l)	3500	745	Within NEQS Limits
3.	COD (mg/l)	150	141	Within NEQS Limits
4.	Sulphide (mg/l)	01	0.9	Within NEQS Limits

- 1) Nangar
- 2) Ullah
- (3) Pursuant to the above results, I am of the opinion that none of the parameter of the sample violates the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 28/02/2025

Nangar
Chief Analyst
(Southern Directorate)


(25)

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))



I hereby certify that:

- (1) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa
- (2) A sample bottles bearing No. A-1 containing effluent sample of Al Moiz Sugar Mills Chashma Road Di Khan was received in this Laboratory on 24.02.2025 at 9:30 AM delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)
- (3) The sample was received by Izhar Ullah (Junior Analyst EPA Laboratory Peshawar). The seal on the sample parcel was intact.
- (4) The sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)

Parameter	Results	NEQS Limits	Remarks
Temperature	19	40°	Within NEQS Limits
pH	6.8	6 to 9	Within NEQS Limits

- (1) Mr. Nizam Ud Din (Chief Analyst) 
- (2) The following tests have been carried out in EPA laboratory which is supervised by me

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1	TSS (mg/l)	200	117	Within NEQS Limits
2	TDS (mg/l)	3500	525	Within NEQS Limits
3	COD (mg/l)	150	315	Violation
4	Sulphide (mg/l)	01	5	Violation

- 1)  2) 
- (3) Pursuant to the above results, I am of the opinion that two (02) of the parameter of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 28/02/2025


Chief Analyst
(Southern Directorate)

(26)

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:

- (1) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (2) A sample bottles bearing No: I-1 containing effluent sample of Tandia Wala Sugar Mill Ramak Road D.I Khan was received in this Laboratory on 21.02.2025 at 09:30 pm delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)
- (3) The sample was received by Izhar Ullah (Junior Analyst EPA Laboratory Peshawar). The seal on the sample parcel was intact.
- (4) The sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)

Parameter	Results	NEQS Limits	Remarks
Temperature	19	40°	Within NEQS Limits
pH	7.4	6 to 9	Within NEQS Limits

- (1) Mr. Nizam Ud Din (Chief Analyst) Nazam
- (2) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	140	Within NEQS Limits
2	TDS (mg/l)	3500	1473	Within NEQS Limits
3	COD (mg/l)	150	1530	Violation
4.	Sulphide (mg/l)	01	11	Violation

1) [Signature] 2) [Signature]

- (3) Pursuant to the above results, I am of the opinion that Two (02) of the parameter of the sample violates the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 28/02/2025

Nazam
Chief Analyst
(Southern Directorate)

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

27

I hereby certify that:

- (1) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (2) A sample bottles bearing No: C-2 containing effluent sample of Chashma Sugar Mill Unit-2 University Road DI Khan was received in this Laboratory on 21.02.2025 at 09:30^{AM} delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)
- (3) The sample was received by Izhar Ullah (Junior Analyst EPA Laboratory Peshawar). The seal on the sample parcel was intact.
- (4) The sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)

Parameter	Results	NEQS Limits	Remarks
Temperature	15	40°	Within NEQS Limits
pH	7.6	6 to 9	Within NEQS Limits

- (1) Mr. Nizam Ud Din (Chief Analyst) Nangau
- (2) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	170	Within NEQS Limits
2.	TDS (mg/l)	3500	535	Within NEQS Limits
3.	COD (mg/l)	150	130	Within NEQS Limits
4.	Sulphide (mg/l)	01	0.6	Within NEQS Limits

1) [Signature] 2) [Signature]

- (3) Pursuant to the above results, I am of the opinion that none of the parameter of the sample violates the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 28/02/2025

Nangau
Chief Analyst
(Southern Directorate)

28

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that.

- (1) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (2) A sample bottles bearing No: A-1 containing effluent sample of Al Moiz Sugar Mills Chashma Road DI Khan was received in this Laboratory on 14.01.2025 at 9:30 delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)
- (3) The sample was received by Izhar Ullah (Junior Analyst EPA Laboratory Peshawar). The seal on the sample parcel was intact.
- (4) The sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate).

Parameter	Results	NEQS Limits	Remarks
Temperature	17	40°	Within NEQS Limits
pH	7.2	6 to 9	Within NEQS Limits

- (1) Mr. Nizam Ud Din (Chief Analyst) Nazim
- (2) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	100	Within NEQS Limits
2.	TDS (mg/l)	3500	558	Within NEQS Limits
3.	COD (mg/l)	150	460	Violation
4.	Sulphide (mg/l)	01	10	Violation

1) Izhar 2) Nazim

- (3) Pursuant to the above results, I am of the opinion that two (02) of the parameter of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 20/01/2025

@uttal
Chief Analyst
(Head Office Peshawar)

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

- I hereby certify that
- (1) This laboratory is an environmental laboratory of Environmental Protection Agency Govt of Khyber Pakhtunkhwa.
 - (2) A sample bottles bearing No: E-2T containing effluent sample of Tandia Wala Sugar Mill Ramak Road D.I Khan was received in this laboratory on 08.01.2025 at 9:10 delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)
 - (3) The sample was received by Izhar Ullah (Junior Analyst EPA Laboratory Peshawar). The seal on the sample parcel was intact.
 - (4) The sample was found fit for test and analysis.
 - (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)

Parameter	Results	NEQS Limits	Remarks
Temperature	18	40°	Within NEQS Limits
pH	7.1	6 to 9	Within NEQS Limits

- (1) Mr. Nizam Ud Din (Chief Analyst) Nizam
- (2) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	90	Within NEQS Limits
2.	TDS (mg/l)	3500	1275	Within NEQS Limits
3.	COD (mg/l)	150	1036	Violation
4.	Sulphide (mg/l)	01	22	Violation

- 1) Izhar
 - 2) Nizam
- (3) Pursuant to the above results, I am of the opinion that Two (02) of the parameter of the sample violates the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 20/01/2025

Nizam
Chief Analyst
Head Office Peshawar

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

30

I hereby certify that:

- (1) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa.
- (2) A sample bottles bearing No: C-2 containing effluent sample of Chashma Sugar Mill Unit-2 University Road DI Khan was received in this Laboratory on 08.01.2025 at 9:10 delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)
- (3) The sample was received by Izhar Ullah (Junior Analyst EPA Laboratory Peshawar). The seal on the sample parcel was intact.
- (4) The sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)

Parameter	Results	NEQS Limits	Remarks
Temperature	17	40°	Within NEQS Limits
pH	7.1	6 to 9	Within NEQS Limits

- (1) Mr. Nizam Ud Din (Chief Analyst) Nafar
- (2) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	33	Within NEQS Limits
2.	TDS (mg/l)	3500	665	Within NEQS Limits
3.	COD (mg/l)	150	170	Violation
4.	Sulphide (mg/l)	01	0.6	Within NEQS Limits

1) Wahid 2) Nafar

- (3) Pursuant to the above results, I am of the opinion that one (01) of the parameter of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 20/01/2025

Qutub
Chief Analyst
Head Office Peshawar

CERTIFICATE OF TEST OR ANALYSIS
(Under Rule 10 (3))

I hereby certify that:

- (1) This laboratory is an environmental laboratory of Environmental Protection Agency Govt. of Khyber Pakhtunkhwa
- (2) A sample bottles bearing No: C-1 containing effluent sample of Chashma Sugar Mill Unit-1 University Road DI Khan was received in this Laboratory on 08.01.2025 at 9:10 delivered by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)
- (3) The sample was received by Izhar Ullah (Junior Analyst EPA Laboratory Peshawar). The seal on the sample parcel was intact.
- (4) The sample was found fit for test and analysis.
- (5) The following test were carried out in the field by Mr. Nizam Ud Din (Chief Analyst Southern Directorate)

Parameter	Results	NEQS Limits	Remarks
Temperature	18	40°	Within NEQS Limits
pH	7.5	6 to 9	Within NEQS Limits

- (1) Mr. Nizam Ud Din (Chief Analyst) Nazim
- (2) The following tests have been carried out in EPA laboratory which is supervised by me.

S. No.	Parameters	NEQS* Limits	Test Result	Remarks
1.	TSS (mg/l)	200	33	Within NEQS Limits
2.	TDS (mg/l)	3500	905	Within NEQS Limits
3.	COD (mg/l)	150	200	Violation
4.	Sulphide (mg/l)	01	0.4	Within NEQS Limits

- 1) Wazir
- 2) Nazim
- (3) Pursuant to the above results, I am of the opinion that One (01) of the parameter of the sample violate the National Environmental Quality Standards (NEQS).

Place: EPA-Khyber Pakhtunkhwa

Date: 20/01/2025

Attal
Chief Analyst
Head Office Peshawar



ENVIRONMENTAL PROTECTION AGENCY
CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



Date: 31/1/2025

34
32

No. EPA/EIA/NOH/Tandlianwala -Sugar-MII/D.I.K/25/297

To

1. Mr. Rehan Gul
Chief Executive Officer (CEO)
2. Muhammad Gulzar
General Manager
Tandlianwala Sugar Mill, (Zamand) Ramak road, D.I. Khan

Subject: **ENVIRONMENTAL PROTECTION ORDER UNDER SECTION 17 OF THE KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION ACT (KPEPA), 2014.**

Whereas during the monitoring of your unit, the following issues were highlighted by the monitoring team of EPA. Accordingly, you were issued Notice of Hearing No. EPA/EIA/NOH/Tandlianwala-Sugar-Mill-II/D.I.K/25/96-100 dated: 24/01/2025, with the following directions;

"The monitoring team reported that the unit was in violation of Section 11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014. This acts of yours is in violation of the provisions of the Khyber Pakhtunkhwa Environmental Protection Act, 2014".

Whereas, you were provided an opportunity of personal hearing on 31/01/2025 in the office of the undersigned that attended by Ahtasham Raza (Legal Advisor of Al-Moiz).

Now in exercise of power under section 17 of KPEPA, Act 2014, I hereby pass this Environmental Protection Order directing you to;

"Comply with the National Environmental Quality Standards"

The above measures should be complied within 14 days of issuance of this Order, Failure to comply with this order is an offence punishable under section 18 (1) of the KPEPA, 2014, the fine of the punishment can extend up to 70 million Pak Rupees.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan.
2. Director South EPA, Peshawar Khyber Pakhtunkhwa



ENVIRONMENTAL PROTECTION AGENCY

CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



Date: 31/1/2025

No. EPA/EIA/EPO/Chashma -Sugar-Mill-I/D.I.K/25/ 298

To

1. Mr. Abbas Sarfaraz Khan
Chief Executive Officer (CEO)
2. Mirza Nadeem Ahmad
General Manager
Chashma Sugar Mill-I, Ramak road, near Gomal University D.I.
Khan

Subject:

**ENVIRONMENTAL PROTECTION ORDER UNDER SECTION 17 OF THE
KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION ACT
(KPEPA), 2014.**

Whereas during the monitoring of your unit, the following issues were highlighted by the monitoring team of EPA. Accordingly, you were issued Notice of Hearing No. EPA/EIA/NOH/Chashma-Sugar-Mill-I/D.I.K/25/87-91 dated: 24/01/2025, with the following directions;

"The monitoring team reported that the unit was in violation of Section 11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014. This acts of yours is in violation of the provisions of the Khyber Pakhtunkhwa Environmental Protection Act, 2014".

Whereas, you were provided an opportunity of personal hearing on 31/01/2025 in the office of the undersigned that attended by Mr. Mirza Nadeem Ahmad (General Manager).

Now in exercise of power under section 17 of KPEPA, Act 2014, I hereby pass this Environmental Protection Order directing you to;

"Comply with the National Environmental Quality Standards"

The above measures should be complied within 14 days of issuance of this Order, Failure to comply with this order is an offence punishable under section 18 (1) of the KPEPA, 2014, the fine of the punishment can extend up to 70 million Pak Rupees.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan.
2. Director South EPA, Peshawar Khyber Pakhtunkhwa

D:\Mia\mishra\2025\EPD

3rd Floor, Old Courts Building, Khyber Road, Peshawar Cantt
Telephone: 92 (91) 9210263, Fax: 92 (91) 9210280



ENVIRONMENTAL PROTECTION AGENCY
CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



3/14
34

No. EPA/EIA/EPO/Chashma -Sugar-Mill-II/D.I.K/25/ 296

Date: 31/04/2025

To

1. Mr. Abbas Sarfaraz Khan
Chief Executive Officer (CEO)
2. Mr. Khalid Bashir
General Manager
3. Muhammad Arif
Deputy General Manager (Production)
Chashma Sugar Mill-II, Ramak road, Ramak D.I. Khan

Subject:

**ENVIRONMENTAL PROTECTION ORDER UNDER SECTION 17 OF THE
KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION ACT
(KPEPA), 2014.**

Whereas during the monitoring of your unit, the following issues were highlighted by the monitoring team of EPA. Accordingly, you were issued Notice of Hearing No. EPA/EIA/NOH/Chashma-Sugar-Mill-II/D.I.K/25/96-100 dated: 24/01/2025, with the following directions;

"The monitoring team reported that the unit was in violation of Section 11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014. This acts of yours is in violation of the provisions of the Khyber Pakhtunkhwa Environmental Protection Act, 2014".

Whereas, you were provided an opportunity of personal hearing on 31/01/2025 in the office of the undersigned that attended by Muhammad Arif (DGM).

Now in exercise of power under section 17 of KPEPA, Act 2014, I hereby pass this Environmental Protection Order directing you to;

"Comply with the National Environmental Quality Standards"

The above measures should be complied within 14 days of issuance of this Order, Failure to comply with this order is an offence punishable under section 18 (1) of the KPEPA, 2014, the fine of the punishment can extend up to 70 million Pak Rupees.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan.
2. Director South EPA, Peshawar Khyber Pakhtunkhwa



ENVIRONMENTAL PROTECTION AGENCY

CLIMATE CHANGE, FORESTRY, ENVIRONMENT

&

WILDLIFE DEPARTMENT

GOVERNMENT OF KHYBER PAKHTUNKHWA



35

No. EPA/EIA/EPO/Al-Moiz-Sugar-Mill/D.I.K/25/ 299

Date: 31/01/2025

To

1. Mr. Numan Ahmad Khan,
Chief Executive Officer (CEO)
2. Rana Sajjad Hussain,
General Manager
3. Mr. Shakeel Ahmad
(Manager Admin),
Al-Moiz Sugar Mill, 26 KM Chashma road, D.I. Khan

Subject: **ENVIRONMENTAL PROTECTION ORDER UNDER SECTION 17 OF THE KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION ACT (KPEPA), 2014.**

Whereas during the monitoring of your unit, the following issues were highlighted by the monitoring team of EPA. Accordingly, you were issued Notice of Hearing No. EPA/EIA/NOH/Al-Moiz-Sugar-Mill/D.I.K/25/82-86 dated: 24/01/2025, with the following directions:

"The monitoring team reported that the unit was in violation of Section 11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014. This acts of yours is in violation of the provisions of the Khyber Pakhtunkhwa Environmental Protection Act, 2014".

Whereas, you were provided an opportunity of personal hearing on 31/01/2025 in the office of the undersigned that attended by Mr. Shakeel Ahmad (Manager Admin).

Now in exercise of power under section 17 of KPEPA, Act 2014, I hereby pass this Environmental Protection Order directing you to:

"Comply with the National Environmental Quality Standards"
"Submit an EIA report for construction of Bioremediation treatment plant in compliance of section 13 of the Khyber Pakhtunkhwa Environmental Protection Act 2014"

The above measures should be complied within 14 days of issuance of this Order, Failure to comply with this order is an offence punishable under section 18 (1) of the KPEPA, 2014, the fine of the punishment can extend up to 70 million Pak Rupees.

Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan.
2. Director South EPA, Peshawar Khyber Pakhtunkhwa

D:\EIA Section 2011\EPOs

3rd Floor, Old Courts Building, Khyber Road, Peshawar Cantt
Telephone: 92 (91) 9210263, Fax: 92 (91) 9210280



ENVIRONMENTAL PROTECTION AGENCY

CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



No. EPA/EIA/NOH/Chashma -Sugar-Mill-I/D.I.K/25/ 87-91

Date: 24/01/2025

To

1. Chief Executive Officer (CEO)
 2. General Manager (Operation)
 3. General Manager (Production)
- Chashma Sugar Mill-I, Ramak road, near Gomal University D.I.
Khan

Subject:

**NOTICE OF HEARING UNDER SECTION 17 OF THE KHYBER
PAKHTUNKHWA ENVIRONMENTAL PROTECTION ACT (KPEPA-
2014)**

Whereas during monitoring campaign launched by this Agency, the monitoring committee comprising Chief Analyst (South) & Assistant Director (South) EPA office, D.I. Khan, inspected your unit, on 05/01/2025, and reported that you are operating the unit without complying National Environmental Quality Standards of this Agency which is violation section-11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.

In these circumstances you are directed to appear in person in the office of the undersigned on **31/01/2025** at **11:00 AM** and clarify your position on the subject issue.

In case you fail to avail the opportunity of personal hearing, Ex-parte proceedings will be initiated as per the provision of Khyber Pakhtunkhwa Environmental Protection Act, 2014.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan
2. Director South EPA, is directed to ensure the attendance of the proponent before hearing in the office of the undersigned.



ENVIRONMENTAL PROTECTION AGENCY
CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



30
37

No. EPA/EIA/NOH/Al-Moiz-Sugar-Mill/D.I.K/25/ 82-86

Date: 24/01/2025

To


1. Chief Executive Officer (CEO)
 2. General Manager (Operation)
 3. General Manager (Production)
- Al-Moiz Sugar Mill, Chashma road, D.I. Khan

Subject: **NOTICE OF HEARING UNDER SECTION 17 OF THE KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION ACT (KPEPA-2014)**

Whereas during monitoring campaign launched by this Agency, the monitoring committee comprising Chief Analyst (South) & Assistant Director (South) EPA office, D.I. Khan, inspected your unit, on 11/01/2025, and reported that you are operating the unit without complying National Environmental Quality Standards of this Agency which is violation section-11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.

In these circumstances you are directed to appear in person in the office of the undersigned on 31/01/2025 at 11:00 AM and clarify your position on the subject issue.

In case you fail to avail the opportunity of personal hearing, Ex-parte proceedings will be initiated as per the provision of Khyber Pakhtunkhwa Environmental Protection Act, 2014.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan
2. Director South EPA, is directed to ensure the attendance of the proponent before hearing in the office of the undersigned.

3rd Floor, Old Courts Building, Khyber Road, Peshawar Cantt
Telephone: 92 (91) 9210263, Fax: 92 (91) 9210280



ENVIRONMENTAL PROTECTION AGENCY
CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



38

No. EPA/EIA/NOH/Chashma -Sugar-Mill-II/D.I.K/25/ 92-95

Date: 24/01/2025

To

1. Chief Executive Officer (CEO)
 2. General Manager (Operation)
 3. General Manager (Production)
- Chashma Sugar Mill-II, Ramak road, Ramak D.I. Khan

Subject: **NOTICE OF HEARING UNDER SECTION 17 OF THE KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION ACT (KPEPA-2014)**

Whereas during monitoring campaign launched by this Agency, the monitoring committee comprising Chief Analyst (South) & Assistant Director (South) EPA office, D.I. Khan, inspected your unit, on 05/01/2025, and reported that you are operating the unit without complying National Environmental Quality Standards of this Agency which is violation section-11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.

In these circumstances you are directed to appear in person in the office of the undersigned on **31/01/2025** at **11:00 AM** and clarify your position on the subject issue.

In case you fail to avail the opportunity of personal hearing, Ex-parte proceedings will be initiated as per the provision of Khyber Pakhtunkhwa Environmental Protection Act, 2014.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan
2. Director South EPA, is directed to ensure the attendance of the proponent before hearing in the office of the undersigned.

3rd Floor, Old Courts Building, Khyber Road, Peshawar Cantt

3rd Floor, Old Courts Building, Khyber Road, Peshawar Cantt
Telephone: 92 (91) 9210263, Fax: 92 (91) 9210280



ENVIRONMENTAL PROTECTION AGENCY
CLIMATE CHANGE, FORESTRY, ENVIRONMENT
&
WILDLIFE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA



No. EPA/EIA/NOH/Tandianwala -Sugar-Mill/D.I.K/25/ 96-200

Date: 24/01/2025

39

To

1. Chief Executive Officer (CEO)
 2. General Manager (Operation)
 3. General Manager (Production)
- Tandlinwala Sugar Mill, (Zamand) Ramak road, D.I. Khan

Subject: **NOTICE OF HEARING UNDER SECTION 17 OF THE KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION ACT (KPEPA-2014)**

Whereas during monitoring campaign launched by this Agency, the monitoring committee comprising Chief Analyst (South) & Assistant Director (South) EPA office, D.I. Khan, inspected your unit, on 05/01/2025, and reported that you are operating the unit without complying National Environmental Quality Standards of this Agency which is violation section-11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014.

In these circumstances you are directed to appear in person in the office of the undersigned on **31/01/2025** at **11:00 AM** and clarify your position on the subject issue.

In case you fail to avail the opportunity of personal hearing, Ex-parte proceedings will be initiated as per the provision of Khyber Pakhtunkhwa Environmental Protection Act, 2014.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan
2. Director South EPA, is directed to ensure the attendance of the proponent before hearing in the office of the undersigned.



ZERO TOLERANCE TO CORRUPTION

ENVIRONMENTAL PROTECTION AGENCY

CLIMATE CHANGE, FORESTRY, ENVIRONMENT

&

WILDLIFE DEPARTMENT

GOVERNMENT OF KHYBER PAKHTUNKHWA



40

No. EPA/EIA/AP/Al-Moiz-Sugar-Mill/D.I.K/25/ 2157-61

Date: 07/06/2025

To

1. Mr. Numan Ahmad Khan,
Chief Executive Officer (CEO)
2. Rana Sajjad Hussain,
General Manager
3. Mr. Shakeel Ahmad
(Manager Admin),
Al-Moiz Sugar Mill, 26 KM Chashma road, D.I. Khan

Subject: **OPPORTUNITY OF HEARING UNDER RULE-5 OF THE KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION (ADMINISTRATIVE PENALTY) RULES, 2017.**

With reference to the Form-A issued vide No. EPA/EIA/EPO/Al-Moiz-Sugar-Mill/D.I. Khan/25/1776 dated 09-04-2025, wherein Administrative Penalty was imposed on your unit due to violation of section-11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014. Your written response was received to this dated 23-04-2025.

In light of rule 5 of the ibid rules and continuation of the above circumstances you are directed to appear in person in the office of the undersigned on 13/05/2025 at 11:00 AM and clarify your position on the subject issue.

In case you fail to avail the opportunity of personal hearing, Ex-parte proceedings will be initiated as per the provision of Khyber Pakhtunkhwa Environmental Protection Act, 2014.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan.
2. Director South EPA, Peshawar Khyber Pakhtunkhwa



ZERO TOLERANCE TO CORRUPTION
ENVIRONMENTAL PROTECTION AGENCY

CLIMATE CHANGE, FORESTRY, ENVIRONMENT

&

WILDLIFE DEPARTMENT

GOVERNMENT OF KHYBER PAKHTUNKHWA



41

No. EPA/EIA/AP/Tandlianwala -Sugar-Mill/D.I.K/25/ 2687-70

Date: 07/05/2025

To

1. Mr. Rehan Gul
Chief Executive Officer (CEO)
2. Muhammad Gulzar
General Manager
Tandlianwala Sugar Mill, (Zamand) Ramak road, D.I. Khan

Subject:

OPPORTUNITY OF HEARING UNDER RULE 5 OF THE KHYBER PAKHTUNKHWA ENVIRONMENTAL PROTECTION (ADMINISTRATIVE PENALTY) RULES, 2017.

With reference to the Form-A issued vide No. EPA/EIA/EPO/Tandlianwala-Sugar-Mill-II/D.I. Khan/25/1775 dated 09-04-2025, wherein Administrative Penalty was imposed on your unit due to violation of section-11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014. Your written response was not received to this office.

In light of rule 5 of the ibid rules and continuation of the above circumstances you are directed to appear in person in the office of the undersigned on 13/05/2025 at **11:00 AM** and clarify your position on the subject issue.

In case you fail to avail the opportunity of personal hearing, Ex-parte proceedings will be initiated as per the provision of Khyber Pakhtunkhwa Environmental Protection Act, 2014.


Director General

Copy for information to the;

1. Deputy Commissioner District D.I. Khan.
2. Director South EPA, Peshawar Khyber Pakhtunkhwa

42

Form B
[See Rule 7]
Notice for payment of Environmental Administrative Penalty Provincial
Environmental Protection Agency
NOTICE FOR PAYMENT OF ADMINISTRATIVE PENALTY

To

1. Mr. Rehan Gul (CEO),
Tandlianwala Sugar Mill,
Ramak road (Zamand), Ramak University D.I. Khan.
2. Muhammad Gulzar (G.M)
Tandlianwala Sugar Mill,
Ramak road (Zamand), Ramak D.I. Khan.

WHEREAS, on the basis of information received/investigation made I had formed the opinion that you have prima facie contravened the provisions of Section-11 & Section-17 of the Khyber Pakhtunkhwa Environmental Protection Act 2014 at the project site namely "**TANDLIANWALA SUGAR MILL.**"

AND WHEREAS, in response to show-cause notice dated 09/04/2025 issued by me, you have furnished reply dated 13/05/2025 to the following effect, wherein, you have not agreed with the subject issue and submitted your consent.

AND WHEREAS, after carefully considering your written reply dated 13/05/2023 and the same has been rejected.

NOW THEREFORE, in exercise of powers under section 17(3) of the Act, I hereby issue notice requiring you to pay to the Khyber Pakhtunkhwa Environmental Protection Agency within 07 days of receipt hereof an administrative penalty in the amount of. Five Million Only rupees (50,00,000/-). Please note that if you pay the administrative penalty by the due date, you will not be charged under the Act for an offence in respect of the contravention. However, in case you fail to make payment, I shall initiate appropriate proceedings against you in respect of the contravention in accordance with law.


Director General

EPA Tracking No. EPA/EIA/AP/Tandlianwal-Sugar Mill/D.I.K/25/6854-55

Dated: 15/08/2025

43

Form B

[See Rule 7]

**Notice for payment of Environmental Administrative Penalty Provincial
Environmental Protection Agency**

NOTICE FOR PAYMENT OF ADMINISTRATIVE PENALTY

To


1. Mr. Numan Ahmad Khan (CEO),
Al-Moiz Sugar Mill,
26 KM Chashma road, D.I. Khan.
2. Mr. Rana Sajjad Hussain (G.M)
Al-Moiz Sugar Mill,
26 KM Chashma road, D.I. Khan.

WHEREAS, on the basis of information received/investigation made I had formed the opinion that you have prima facie contravened the provisions of Section-11 & Section-17 of the Khyber Pakhtunkhwa Environmental Protection Act 2014 at the project site namely "AL-MOIZ SUGAR MILL."

AND WHEREAS, in response to show-cause notice dated 09/04/2025 issued by me, you have furnished reply dated 23/04/2025 to the following effect, wherein, you have not agreed with the subject issue and submitted your consent.

AND WHEREAS, after carefully considering your written reply dated 23/04/2023 and the same has been rejected.

NOW THEREFORE, in exercise of powers under section 17(3) of the Act, I hereby issue notice requiring you to pay to the Khyber Pakhtunkhwa Environmental Protection Agency within 07 days of receipt hereof an administrative penalty in the amount of. Four Million Only rupees (40,00,000/-). Please note that if you pay the administrative penalty by the due date, you will not be charged under the Act for an offence in respect of the contravention. However, in case, you fail to make payment, I shall initiate appropriate proceedings against you in respect of the contravention in accordance with law.


Director General

EPA Tracking No. EPA/EIA/AP/Al-Moiz-Sugar Mill/D.I.K/25/

6858-57

Dated: 15/08/2025

SCHEDULE I

Form-A

[See Rule 4(1)]

Show Cause Notice for payment of Environmental Administrative & Environmental Protection Agency Govt. of Khyber Pakhtunkhwa Peshawar

44

To

1. Mr. Rehan Gul (CEO),
Tandlianwala Sugar Mill,
Ramak road (Zamand), Ramak University D.I. Khan.
2. Muhammad Gulzar (G.M)
Tandlianwala Sugar Mill,
Ramak road (Zamand), Ramak D.I. Khan.

7. On the basis of information received/investigation made, I am of the opinion that you have prima facie contravened the provisions of Section-11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014 on 05-01-2025 & 20-02-2025 at the project site namely **"TANDLIANWALA SUGAR MILL."**

8. In the circumstances, I hereby call upon you to show cause why I should not, in exercise of powers under sub-section (3) of Section-17 of the Act, require you to pay to the Khyber Pakhtunkhwa Environmental Protection Agency an administrative penalty in the amount of Rupees (Five (5) Million only) (500,000,000/-) as single time penalty. Please note that if you pay the aforesaid amount of administrative penalty, you will not be charged under the Act with an offence in respect of the contravention.

9. Your reply should reach the Undersigned within seven (07) days of receipt of this notice, failing which it shall be presumed that you do not wish to contest the matter, and I shall proceed to issue you notice to pay the aforesaid administrative penalty without further reference.


Director General

No. EPA/EIA/EPO/Tandlianwala-Sugar-Mill/D.I. K/25/1775

Dated: 09/04/2025

45

SCHEDULE I

Form-A

[See Rule 4(1)]

**show Cause Notice for payment of Environmental Administrative Penalty
Environmental Protection Agency Govt. of Khyber Pakhtunkhwa Peshawar**

To

1. Mr. Numan Ahmad Khan (CEO),
Al-Moiz Sugar Mill,
26 KM Chashma road, D.I. Khan.
2. Mr. Rana Sajjad Hussain (G.M)
Al-Moiz Sugar Mill,
26 KM Chashma road, D.I. Khan.

1. On the basis of information received/investigation made, I am of the opinion that you have prima facie contravened the provisions of Section-11 of the Khyber Pakhtunkhwa Environmental Protection Act, 2014 on 21-02-2025 & 26-02-2025 at the project site namely **"AL-MOIZ SUGAR MILL."**
2. In the circumstances, I hereby call upon you to show cause why I should not, in exercise of powers under sub-section (3) of Section-17 of the Act, require you to pay to the Khyber Pakhtunkhwa Environmental Protection Agency an administrative penalty in the amount of Rupees (Four (4) Million only) (400,000,000/-) as single time penalty. Please note that if you pay the aforesaid amount of administrative penalty, you will not be charged under the Act with an offence in respect of the contravention.
3. Your reply should reach the Undersigned within seven (07) days of receipt of this notice, failing which it shall be presumed that you do not wish to contest the matter, and I shall proceed to issue you notice to pay the aforesaid administrative penalty without further reference.


Director General

No. EPA/EIA/EPO/Al-Moiz-Sugar-Mill/D.I. K/25/1776


Dated: 09/04/2025

46

ENVIRONMENTAL PROTECTION AGENCY

ATTENDANCE SHEET


Dated: 13/05/2025

S.No.	Name	Designation	Unit Name	Name & Father Name of Owner	Complete Address of Unit / Factory / Hospital etc.	Contact Number.	Signature
	Shakeel Ahmed Wakil Bukhs S/O	Manager Administration	Almeir Industries Limited	Mr Nawaz Ahmed S/O	26 km Chashma Road D.I. Khan	0331-6850337	
	CNIC 36302-50873009			CNIC			

47

ENVIRONMENTAL PROTECTION AGENCY
ATTENDANCE SHEET

Dated: 12/15/2025

No.	Name	Designation	Unit Name	Name & Father Name of Owner	Complete Address of Unit / Factory / Hospital etc.	Contact Number.	Signature	
	M. Farooq	GM	TSNH-Lahore	Haseem Akhtar	Village Miran Teh. Pakpura Dist. Wazir	0300-6551360		
	S/O Fateh Muhammad				S/O Akhtar Akbar			
	CNIC 99301-8701591-9				CNIC			